

**Notice of Allowability**

Application No.

10/614,457

Examiner

Carlos Lugo

Applicant(s)

FOIGEL ET AL.

Art Unit

3676

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to an interview with the applicant's representative on February 1, 2006.
2. ☒ The allowed claim(s) is/are 1-3,5,7-13 and 15-18.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some\* c) ☐ None of the:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
- (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
- 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_.
- (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date \_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☒ Interview Summary (PTO-413), Paper No./Mail Date \_\_\_\_
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_.

### **DETAILED ACTION**

1. This Office Action is in response to an interview with the applicant's representative on February 1, 2006.

### **EXAMINER'S AMENDMENT**

2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.
3. Authorization for this examiner's amendment was given in a telephone interview with Mr. Christopher Austin on February 1, 2006.
4. The application has been amended as follows:
  - Claim 7 Line 12, the phrase "wherein the aperture has a scalloped edge" has been amended to -wherein the aperture has a scalloped shape twisted from a front surface of the wall to a rear surface of the wall about an axis extending through the housing and the aperture-.

### ***Allowable Subject Matter***

5. **Claims 1-3,5,7-13 and 15-18 are allowed.**

### **Reasons For Allowance**

6. The following is an examiner's statement of reasons for allowance:

Claims 1,5,7,9, and 11 are allowable over the prior art of record because the teachings of the references taken as a whole do not teach or render obvious the combination set forth, including that the wall positioned to block access into the cavity

of the housing is rotatable with respect to the housing when the cable is inserted through the aperture (claim 1 and 11); and that the aperture has a twisted or spiral shape (claims 5,7 and 9).

As to claims 1 and 11, Kueznal '830, Bystry and Van Gompel fails to disclose that the wall positioned to block access into the cavity of the housing is rotatable with respect to the housing when the cable is inserted through the aperture.

As to claims 5,7, and 9, Kueznal '830 discloses that the aperture (58) has a shape and a radius varying at different circumferential positions of the aperture complementary to the shape of the cable (Figure 5). However, the shape of the aperture is not twisted; is straight. Also, neither Van Gompel nor Bystry disclose that the shape of the aperture is twisted.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

### ***Conclusion***

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Carlos Lugo whose telephone number 571-272-7058. The examiner can normally be reached on 9-6pm EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Brian Glessner can be reached on 571-272-6843. The fax phone number

Art Unit: 3676

for the organization where this application or proceeding is assigned is 571-272-7049.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-306-5771.

*C.L.*

Carlos Lugo  
Patent Examiner  
AU 3676

February 2, 2006

A handwritten signature in black ink, appearing to read "Brian E. Glessner", followed by a long horizontal line extending to the right.

**BRIAN E. GLESSNER**  
**SUPERVISORY PATENT EXAMINER**